



## CHERRY HILLS VILLAGE

### Accessory and Recreational Structure Requirements

\*Note: This document is not intended to be a comprehensive list of all applicable requirements. It is the applicant's responsibility to comply with all applicable requirements.

Community Development  
2450 E. Quincy Avenue  
Cherry Hills Village, CO 80113  
[www.cherryhillsvillage.com](http://www.cherryhillsvillage.com)  
303.789-2721(P)  
303.761.9389 (F)  
Revised: January of 2022

## Accessory and Recreational Structure Requirements

---

### **What Requires an Accessory/Recreational Structure Permit?**

Any structure that is a detached subordinate structure including, but not limited to, the following:

- Agricultural or Livestock Structures
- Barns
- Detached Garages
- Detached Guest Houses
- Gazebos
- Pergolas
- Pool House (with no habitable living space)
- Pools
- Sheds
- Spas/Hot Tubs
- Sports Courts

### **Separate permits and plans are required for the following:**

1. Additions to existing structures that change the footprint of a structure or add square footage
2. Electrical wiring/rewiring or electrical service work
3. Exterior alterations and remodels to existing structures; including decks, patios, siding, and door or window replacement
4. Fences, walls/retaining walls, and earthen berms
5. Guest House
6. Installation or modifications to skylights, solar systems, air conditioners, furnaces, or other similar amenities
7. Interior alterations and remodels (painting, papering, tiling, carpeting, cabinets, countertops, and similar finish work excluded)
8. Major repairs or restoration; including re-roofing, water heaters, or plumbing
9. New home
10. The moving or demolition of any building or structure or any interior/exterior wall part of a structure

### **How to Submit:**

Accessory and Recreational Structure permit submittals can be submitted online at: [Submit for Plan Review Online](#)

### **Submittal Requirements:**

1. A completed building permit application ([Applications and Helpful Handouts](#))
2. Complete construction plans including stamped structural plans
3. A scaled site plan based on an accurate survey including the following information:
  - a. The size and location of proposed construction and all existing structures on the site (eaves & overhangs shown with dashed line – setbacks are measured to any portion of a structure, including eaves, overhangs, and cantilevered elements)
  - b. Minimum setback distances from lot lines in accordance with zoning
  - c. The established street grades and the proposed finished grades
  - d. Existing and proposed contours in one-foot (1') intervals in NAVD 88 datum with USGS elevation numbers

## Accessory and Recreational Structure Requirements

---

4. Building elevations demonstrating compliance with Bulk Plane (R-1, R-2, R-3, R-4 and R-5 zone districts only) and building height requirements in USGS elevations ([CHV Municipal Code Section 16-3-30](#))
5. Completed Floor Area Ratio (FAR) Worksheet (R-1, R-2, R-3, R-4 and R-5 zone districts only)
6. A soils investigation report for the property (if referenced in the structural plans)
7. If removing trees within the setbacks, a tree survey and tree protection plan for trees within the minimum setback area (required for all increases in sq. ft. by 50% or more including the following information: ([CHV Municipal Code Section 16-4-210](#))
  - a. Location of all established trees, including established trees removed on the property, in adjacent public rights-of-way and in the vicinity of any other private rights-of-way used for construction access
  - b. The diameter of all established trees
  - c. Existing location of all established trees to be preserved, transplanted, or removed
  - d. Proposed location, caliper size and species of replacement and transplanted trees
  - e. Measures to protect established trees from being damaged or destroyed during construction
8. Energy calculations and Manual J with supporting documents if this is to be a year-round conditioned space. (A ResCheck is not required unless it is used as an alternate instead of following the prescriptive requirements of the code.)
9. A construction staging plan and right-of-way photos within 500 feet of any point of access. The staging plan must indicate the following to scale:
  - a. Portable toilets, trash receptacles and dumpsters, construction trailers, vehicle tracking control, silt fencing, temporary construction fencing, construction material storage and fill or excavated dirt piles
10. A Phase III Drainage Report if adding more than 2500 square feet of impervious surface area
11. A Stormwater Management Plan (SWMP) or Grading, Erosion, and Sediment Control Plan (GESD) and a completed Stormwater Construction Permit Application if disturbing 1 acre or more and/or adjacent to a waterway or water course (floodplain)
12. Proof of sewer permit or sewer release form
13. Approval from the Colorado Department of Public Health and Environment for removal of materials (if demoing existing structure)
14. Receipt from South Metro Fire Rescue (SMFR) indicating that plans have been submitted for review final review. The SMFR permit must be received by the City prior to being able to issue the building permit. This is only required for detached guest homes if existing home is currently protected by an automatic fire suppression system.
15. Copy of the City's Public Works Right of Way Permit

\*The City or its consultants may request additional information, at their sole discretion, in order to determine compliance with applicable standards and/or requirements.

## Accessory and Recreational Structure Requirements

### Basic Zoning Regulations:

The following tables summarize the primary zoning requirements for each zone district. Please refer to Chapter 16 of the Municipal Code for the complete set of requirements. ([CHV Municipal Code Article 3](#))

#### Accessory Structure Setback, Area and Number Standards (enclosed structures)

<b>Zone</b>	<b>Min. Lot Area</b>	<b>Max. Number of Structures</b>	<b>Enclosed Footprint</b>	<b>Front</b>	<b>Rear</b>	<b>Sides</b>	<b>Max. Height</b>
*R-1	2 ½ Acres	3	1,100 Sq. Ft.	75'	25'	25'	35'
R-2	1 ¼ Acres	3	750 Sq. Ft.	75'	25'	25'	35'
R-3	1 Acre	3	650 Sq. Ft.	50'	25'	25'	35'
R-3A	2 ½ Acres	3	1,100 Sq. Ft.	75'	25'	25'	30'
	1 ¼ Acres	3	750 Sq. Ft.	75'	25'	25'	30'
	1 Acre	3	650 Sq. Ft.	50'	25'	25'	30'
	½ Acre	3	500 Sq. Ft.	25'	15'	15'	30'
	16,000 Sq. Ft.	2	500 Sq. Ft.	25'	7.5'	15' total /0' individual	30'
R-4	½ Acre	2	500 Sq. Ft.	25'	15'	15'	30'
R-5	16,000 Sq. Ft.	2	500 Sq. Ft.	25'	7.5'	7.5'	30'
C-1	1 Acre	N/A	N/A	N/A	N/A	N/A	N/A
C-2	None	N/A	N/A	N/A	N/A	N/A	45'
O-1	2 ½ Acres	N/A	N/A	N/A	N/A	N/A	30'

*\*If the legal lot size for a parcel of land is five (5) acres or larger, said lot shall be entitled to accessory structures and square footage as follows:*

<b>Min. Lot Area</b>	<b>Max. Number of Structures</b>	<b>Enclosed Footprint</b>
5 Acres	4	1,800 Sq. Ft.
10 Acres	5	2,250 Sq. Ft.
15 Acres	6	2,700 Sq. Ft.
20 Acres	7	3,150 Sq. Ft.

**Recreational Structure Setback Standards (pools, sports courts, etc. when not enclosed) \***

<b>Zone</b>	<b>Min. Lot Area</b>	<b>Front</b>	<b>Rear</b>	<b>Sides</b>
R-1	2 ½ Acres	75'	25'	25'
R-2	1 ¼ Acres	75'	25'	25'
R-3	1 Acre	50'	25'	25'
R-3A	2 ½ Acres	75'	25'	25'
	1 ¼ Acres	75'	25'	25'
	1 Acre	50'	25'	25'
	½ Acre	25'	15'	15'
	16,000 Sq. Ft.	25'	7.5'	15' total /0' individual
R-4	½ Acre	25'	15'	15'
R-5	16,000 Sq. Ft.	25'	7.5'	7.5'
C-1	1 Acre	N/A	N/A	N/A
C-2	None	N/A	N/A	N/A
O-1	2 ½ Acres	N/A	N/A	N/A

*\*If the recreational structure is enclosed by walls or a fence on more than 2 sides, then it is to be considered and treated as an accessory structure (safety fences around pools are not considered as enclosures for this purpose).*

**Bulk Plane Requirements**

	<b>R-1</b>	<b>R-2</b>	<b>R-3</b>	<b>R-4</b>	<b>R-5</b>
Front Area Depth	50'	50'	42'	42'	42'
Starting Height (front area)	21'	21'	21'	21'	12'6"
Starting Height (rear area)	12'6"	12'6"	12'6"	12'6"	12'6"
Angle (front and rear areas)	40°	40°	40°	40°	40°

**Special Bulk Plane Standards for Accessory Buildings**

(1) For zoning districts where the minimum side or rear setback for an accessory building is less than the minimum side or rear setback specified for a primary building, a special accessory building bulk plane shall begin at a starting height of twelve (12) feet, six (6) inches above the minimum side and rear setback lines for accessory building.

(2) The special accessory building bulk plane shall rise at a forty (40) degree angle towards the center of the lot until it reaches the maximum permitted height for the zoning district or intersects with the bulk plane that begins at the minimum side or rear setback for the primary building.

## Accessory and Recreational Structure Requirements

---

### Permit Fees and Timelines:

Accessory or Recreational Structure permits that require the review of the Planning Division, the Building Division, and/or the Civil Engineering Division may take **10 business days for each review cycle**. Please note that **the Planning Division must approve the project prior to any Building or Civil Engineering review** occurring.

The following tables summarize the building permit fees for most permits. Please refer to Chapter 18 of the Municipal Code for the complete set of requirements.

### Review Fees\*

Accessory and Recreational Structures	\$340.00 for 2 Hrs.
Additional Building Plan Review	\$170.00 per Hour
Stormwater Management Plan (SWMP) or Grading, Erosion, and Sediment Control Plan (GESD)	\$390.00 for 2 Hrs.
Phase III Drainage Report	\$390.00 for 2 Hrs.
Additional Civil Engineering Plan Review	\$195.00 per Hour
Stormwater Construction Permit Fee	\$300.00

*\*All review fees are based on the minimum hours required. Additional time will be charged at the hourly rate for additional plan review.*

### Building Permit Fees

\$1.00 to \$2,000.00	\$20.00
\$2,001.00 and up	1% of Valuation

### Service Expansion Fees

Building	\$.90 per Sq. Ft.
Garage/Swimming Pool/Spa	\$.40 per Sq. Ft.
Sport Courts	\$.10 per Sq. Ft.

### \*Use Tax (Paid to Arapahoe County)

1/8th of 1% of the Valuation

*\*Use tax is not applied to electric permits, demo permits or building permits \$2,000 evaluation or under.*

**Adopted Building Codes:**

- International Building Code, 2018 Edition
- International Residential Code, 2018 Edition
- International Mechanical Code, 2018 Edition
- International Plumbing Code, 2018 Edition
- Fuel Gas Code, 2018 Edition
- International Energy Conservation Code, 2018 Edition
- International Fire Code, 2018 Edition
- Existing Building Code, 2018 Edition
- National Green Building Standards, 2017 Edition
- National Electrical Code, Edition Approved by State

**Building Permit Expiration:**

Applications for building permits will be deemed abandoned ninety (90) days after the date of filing unless the permit has been pursued in good faith. Permits that have been issued shall become invalid if work is not commenced within ninety (90) days from the date the permit was issued or if the work authorized on site is suspended or abandoned for a period exceeding ninety (90) days. It is the responsibility of the applicant to ensure that building permits are valid. No inspections or construction may occur if a building permit is expired.

**Project Completion:**

If the construction described in any building permit has not been completed to the point where a final inspection has been completed or a Certificate of Occupancy may be issued within eighteen (18) months of the date of issuance of such permit, the building permit shall expire and be deemed canceled by the building official. However, if a permit reaches its expiration, an extension of up to four months may be purchased if the applicant demonstrates a justifiable cause. Up to two (2) four-month extensions may be granted. Afterwards, a new permit must be submitted, reviewed, approved, and issued for the remaining scope of work. An applicant may apply for extensions based on the following schedule:

1. 1<sup>st</sup> four-month extension: Fee of 25% of the original permit fee.
2. 2<sup>nd</sup> four-month extension: Fee of 50% of the original permit fee.

**Construction Hours:**

Monday through Friday	7:00 a.m. - 6:00 p.m.
Saturday	8:00 a.m. - 4:00 p.m.
Sunday and Federal Holidays	No Exterior Construction <i>(Interior construction is allowed within ENTIRELY enclosed structures from 8:00 a.m. - 4:00 p.m.)</i>

The construction hours handout with federal holidays listed can be found at [Applications and Helpful Handouts](#)

## Accessory and Recreational Structure Requirements

---

### **Inspections:**

Inspection requests can be submitted online at [Building Inspection Requests](#) or by phone at 303-783-2705.

Applicants will be provided with an inspection checklist when a permit is issued (this inspection card must be present at the work site at the time of any building inspections). All inspections must be completed prior to issuing a Certificate of Occupancy or receiving final inspection approval. In addition, the following documents may be required during the inspection process to demonstrate code compliance:

1. If pre-manufactured trusses are used, a truss layout plan and stamped-engineered truss detail drawings must be submitted at the framing inspection.
2. A height survey in NAVD 88 datum with USGS elevations must be submitted prior to framing inspection.
3. A location survey indicating all site improvements and roof overhangs and eaves must be submitted prior to final zoning inspection.
4. A height survey in NAVD 88 datum with USGS elevations measuring the highest point of the finished roof and any chimneys or projections must be submitted prior to the final zoning inspection.