

WEEKLY ACTIVITY REPORT (10-18-24 to 10-24-24)

Location	File Date	Permit Number	Permit Type	Permit Use	Status	Closed Date	Project Cost	Current Use Proposed Changes
1 BLACKMER RD	22-Oct-24		Residential	Roof	Pending		\$40,000.00	Remove all existing shake shingles, Instill Ice & water 30# felt 2 starters for instill of Certainteed Presidential Shake Shingles, New 3 in 1 pipe jacks, valley metal, 1 new air vent.
1 CHERRY LANE DR	21-Oct-24	24-0703-01	Residential	Electrical	Approved		\$2,000.00	ELECTRICAL HOOKUP FOR AC/FURNACE COMBO
1075 E RADCLIFF AVE	18-Oct-24		Residential	Electrical	Pending		\$20,000.00	Electrical for the pool house.
11 VILLAGE RD	21-Oct-24		Residential	Replace HVAC with AC	Portal Submitted		\$17,031.00	Like for like replacement of furnace and air conditioner.
11 VILLAGE RD	23-Oct-24		Residential	Electrical	Portal Submitted		\$50.00	Reconnect electrical to New A/C and Furnace
1500 E LAYTON AVE	22-Oct-24		Residential	Plumbing	Portal Submitted		\$20,000.00	add master bathroom to addition area. includes automatic washing machine connection and steam shower
18 COVINGTON DR	21-Oct-24		Residential	Recreational Structure	Pending		\$150,000.00	build swimming pool to engineered plans
3 VILLAGE RD	24-Oct-24		Residential	Interior Remodel	Portal Submitted		\$50,000.00	Move basement walls to create a space for Golf Simulator installation.
37 GLENMOOR DR	24-Oct-24		Residential	Roof	Pending		\$69,365.00	Removal of existing Westile concrete tile roof system and install of Newport Saxony Slate Impact Resistant concrete tile roof system in the color Black Canyon
3720 E QUINCY AVE	24-Oct-24		Residential	Roof	Portal Submitted		\$18,880.00	Tear off existing Architectural shingles and Install 59 sq of Owens Corning TruDefinition Duration Storm in Estate Grey Architectural Shingles on a 2 story with a 4:12 pitch.
3795 S COLORADO BLVD	21-Oct-24	24-0579-01	Residential	Electrical	Approved		\$100,000.00	Wiring of a new home. The service for this home will be pulled on a separate permit.
3795 S COLORADO BLVD	22-Oct-24		Residential	Electrical	Pending		\$10,000.00	â€¢ 600A 1PH 120/240v CT Cabinet w/ 600A 1PH 120/240v Main Distribution Panel â€¢ 200A 1PH 120/240v Indoor Subpanel x3 - Fed from 600A MDP â€¢ 100A 1PH 120/240v Outdoor Pool Panel - Fed from 600A MDP â€¢ CT Cabinet fed from underground
3800 S ALBION ST	23-Oct-24	24-0714	Residential	Electrical	Approved		\$2,500.00	Electrical work for shotcrete pool
4 VILLAGE RD	22-Oct-24	24-0713	Residential	Gas/Fire Pit/BBQ	Approved		\$500.00	We are having excel increase the meter pressure to 2 psi. They are at there maximum and is needed for proper pressure at high btu fixtures as the pressure is dropping too far at the pressure it is at. We need the air test inspection of the whole house gas system released to excel so that we can proceed with the pressure upgrade.
4645 S HOLLY ST	22-Oct-24		Residential	Electrical	Pending		\$10,000.00	Generator Installation. 150KW 600amp 120/240v with ATS
4660 S FRANKLIN ST	21-Oct-24		Residential	Interior Remodel	Pending		\$170,000.00	Remove and replace plumbing, electrical and finishes like for like at existing locations in (2) bathrooms and (1) laundry room. Remove and replace (1) fireplace like for like on second level in primary suite. Remove and replace (5) windows like for like in existing openings. Remove and replace hardwood flooring and baseboards in portions of the second level living space. Remove and replace stair railing like for like. Add cabinetry and shelving as directed.
5000 E QUINCY AVE	21-Oct-24		Residential	Recreational Structure	Pending		\$650,000.00	In-ground swimming pool and spa
5051 S LAFAYETTE LN	18-Oct-24	24-0706	Residential	Roof	Approved		\$101,249.00	Removal of existing asphalt roof system and install of new asphalt roof system. Install of Certainteed Grand Manor Slate in the color Gatehouse Slate
5097 S FRANKLIN ST	22-Oct-24		Residential	Exterior/Interior Remodel	Portal Submitted		\$0.00	
6 CHERRY LANE DR	24-Oct-24		Residential	Electrical	Pending		\$3,000.00	Installation of wiring and making connections related to install of PV panels permitted under A24-0941
6001 S HAPPY CANYON DR	18-Oct-24	24-0699	Residential	Sewer Repair	Closed	24-Oct-24	\$3,000.00	**EMERGENCY REPAIR** Sewer repair from the yard to the city tap. NOTE: THIS PERMIT IS FOR WORK ON PRIVATE LAND ONLY. ANY WORK ON PUBLIC LAND REQUIRES A ROW PERMIT. A CITY INSPECTOR NEEDS TO LOOK AT ALL WORK ON PRIVATE LAND BEFORE THE SEWER PIPE IS COVERED UP.

62 GLENMOOR DR	21-Oct-24		Residential	Electrical	Pending		\$200.00	only disconnect and connect no electrical changes required
7 LAYTON LN	21-Oct-24		Residential	Electrical	Pending		\$2,000.00	ELECTRICAL HOOKUP FOR 2 AC/FURNACE COMBOS
800 E QUINCY AVE	21-Oct-24		Residential	Solar PV	Pending		\$58,582.00	Roof mounted solar panels with backup battery - 12.18 kW DC - 29 REC420 panels, Tesla Powerwall3 inverter/battery combo
800 E QUINCY AVE	22-Oct-24		Residential	Electrical	Pending		\$28,000.00	Roof mounted solar panel with inverter/battery combination - 12.18 kW

T O T A L - 25

Pending = Deemed complete and under review

Approved = Approved for construction

Portal Submitted = Submitted, but not yet under review

Closed = Final Inspection has been Approved